





Karen M. Sandler
@karen@floss.social

November 7, 2025



I have a big heart



software freedom
conservancy





<http://www.acme.com/heartmaker/ayc>



Medtronic
EnTrust™

SN PNR428762H
DDE-DDDR



Robert Stok (CC BY-SA 2.0)



100 million lines

1 million defects?

Four Freedoms

Use
Study & Modify
Redistribute
Share Modified versions




software freedom
conservancy



I stopped using proprietary software wherever possible.



software freedom
conservancy







Barbara Campbell's retinal implant abruptly powered down during a subway transfer in Manhattan, and never worked again. BEATRICE DE GEA/THE NEW YORK TIMES/REDUX



software freedom
conservancy



Four Freedoms

Use
Study & Modify
Redistribute
Share Modified versions



software freedom
conservancy





software freedom
conservancy





HELLO
my name is

OUTREACHY




software freedom
conservancy





104

Fri 25-07-2025 12:12 - Sun 02-11-2025 11:12




mg/dL

0.0%	>250
2.4%	181-250
97.2%	70-180
0.4%	54-69
0.0%	<54
0.0%	0-0

Duration: 100.0 days
93.5% of the time active
Number of measurements: 134623
Average glucose: 115
Estimated A1C: 5.6% (38 mmol/mol)
Glucose Management Indicator: 6.1% (43 mmol/mol)
SD: 24.77
Glucose variability: 21.5%

Days Help Close Save Summary graph



→ **103**
XX0JM71FJ2G

Q&A and Thank you!

- SFC is a 501(c)(3), become a supporter!



<https://sfconservancy.org/supporter>

- These slides, this talk, and audio/video recordings thereof (except for photos by others) are licensed under the Creative Commons Attribution-ShareAlike 4.0 International (CC BY-SA 4.0)

